

Table 1

A = Archaeophyte. I = Introduced native. N = Native;
 Neo = Neophyte. P = Planted (may also be naturalised)
 Names follow Stace (2010).

Vernacular	Taxon	Form	Status	No.comps.	Present in Compartments
Ivy, Common	<i>Hedera helix</i>		N	25	1,2,3a,3b (inc 3c),3d,4a,4b,4c,5,6,7a,7b (inc 7c),7d,8a,8b,8c (inc 9a),9b,10a,10b,10c,11a,11b,12a,12b,12c
Common Nettle	<i>Urtica dioica</i>		N	23	1,2,3b (inc 3c),3d,4a,4b,5,6,7a,7b (inc 7c),7d,8a,8b,8c (inc 9a),9b,10a,10b,10c,11a,11b,12a,12b,12c
Ash	<i>Fraxinus excelsior</i>	T	N	22	2,3a,3b (inc 3c),4a,4b,5,6,7a,7b (inc 7c),7d,8a,8b,8c (inc 9a),10a,10b,10c,10d,11a,11b,12a,12b,12c
Sycamore	<i>Acer pseudoplatanus</i>	T	Neo	22	2,3a,3b (inc 3c),4a,4b,4c,5,6,7a,7b (inc 7c),7d,8a,8b,8c (inc 9a),10a,10b,10c,11a,11b,12a,12b,12c
Cock's-foot	<i>Dactylis glomerata</i>	G	N	21	1,2,3a,3b (inc 3c),4a,4b,4c,5,6,7a,7b (inc 7c),7d,8b,8c (inc 9a),9b,10b,10d,11a,11b,12b,12c
Hawthorn	<i>Crataegus monogyna</i>	T	N	21	1,2,3a,3b (inc 3c),4a,4b,5,6,7a,7b (inc 7c),8a,8b,8c (inc 9a),9b,10a,10c,11a,11b,12a,12b,12c
Horse-chestnut	<i>Aesculus hippocastanum</i>	T	Neo	21	2,3a,3b (inc 3c),4a,4c,5,6,7a,7b (inc 7c),7d,8a,8b,8c (inc 9a),9b,10a,10b,10c,11b,12a,12b,12c
Wood Avens	<i>Geum urbanum</i>		N	21	1,2,3a,3b (inc 3c),5,6,7a,7b (inc 7c),7d,8a,8b,8c (inc 9a),9b,10a,10b,10c,11a,11b,12a,12b,12c
Bramble, "Himalayan Giant"	<i>Rubus armeniacus</i>	S	Neo	19	1,2,3b (inc 3c),4b,5,6,7b (inc 7c),7d,8b,8c (inc 9a),9b,10a,10c,10d,11a,11b,12a,12b,12c
Cleavers	<i>Galium aparine</i>		N	19	1,2,3a,3d,4a,4b,4c,5,6,7a,7b (inc 7c),7d,8c (inc 9a),9b,10d,11a,11b,12b,12c
False Oat-Grass	<i>Arrhenatherum elatius</i>	G	N	19	1,2,3a,3b (inc 3c),3d,4a,4b,4c,5,6,7a,7b (inc 7c),7d,10c,10d,11a,11b,12b,12c
Wild Cherry	<i>Prunus avium</i>	T	N	19	1,2,3b (inc 3c),4a,4c,5,6,7a,7b (inc 7c),8a,8b,8c (inc 9a),9b,10a,10b,10c,11a,12a,12c
Annual Meadow-grass	<i>Poa annua</i>	G	N	18	1,2,3a,3b (inc 3c),4c,5,6,7a,7b (inc 7c),7d,8b,8c (inc 9a),9b,10a,10d,11b,12a,12b
Bramble, Native microspecie	<i>Rubus fruticosus</i> agg.	S	N	18	2,3a,3b (inc 3c),3d,4a,4b,5,7a,7b (inc 7c),7d,8a,8b,8c (inc 9a),10c,11b,12a,12b,12c
Cow Parsley	<i>Anthriscus sylvestris</i>		N	18	1,2,3a,3b (inc 3c),4a,4b,4c,5,6,7b (inc 7c),7d,8a,8b,8c (inc 9a),11b,12a,12b,12c
Hazel	<i>Corylus avellana</i>	T	N	18	1,2,3a,3b (inc 3c),4a,4c,5,6,7a,8a,8b,8c (inc 9a),9b,10a,10b,10c,11a,12a
Hogweed	<i>Heracleum sphondylium</i>		N	18	1,2,3a,3b (inc 3c),3d,4b,5,6,7a,7b (inc 7c),7d,8a,8c (inc 9a),9b,10d,11a,11b,12a
Bindweed, Large	<i>Calystegia silvatica</i> ssp. <i>disjuncta</i>		Neo	17	1,2,3a,3b (inc 3c),4a,4b,5,6,7a,7b (inc 7c),7d,8b,8c (inc 9a),10c,10d,11a,11b
Dandelion	<i>Taraxacum</i> agg.		N	17	1,2,3a,4a,4b,4c,5,7a,7b (inc 7c),7d,8a,8b,8c (inc 9a),9b,10d,11a,12b
Elder	<i>Sambucus nigra</i>	T	N	17	2,3b (inc 3c),4a,4b,5,6,7a,7b (inc 7c),7d,8a,8b,8c (inc 9a),10a,11a,11b,12a,12c
Oak, Evergreen	<i>Quercus ilex</i>	T	Neo	17	2,3a,3b (inc 3c),4a,4b,5,6,7a,7b (inc 7c),8a,8b,8c (inc 9a),9b,10c,11a,12b,12c
Holly	<i>Ilex aquifolium</i>	T	N	16	2,4a,5,6,7a,7b (inc 7c),7d,8a,8b,8c (inc 9a),10a,10b,10c,11a,12a,12c
Oak, Pedunculate	<i>Quercus robur</i>	T	N	16	2,3a,3b (inc 3c),4a,4b,5,6,7a,7b (inc 7c),8a,8b,8c (inc 9a),10c,11b,12a,12b
Cherry Laurel	<i>Prunus laurocerasus</i>	T	Neo	15	2,5,7a,7b (inc 7c),8a,8b,8c (inc 9a),9b,10a,10b,10c,11a,11b,12a,12c
Privet, Garden	<i>Ligustrum ovalifolium</i>	S	Neo	15	2,3b (inc 3c),5,6,7a,7b (inc 7c),7d,8a,8b,8c (inc 9a),9b,10a,10b,11a,12a
Dock, Broadleaved (var. 2)	<i>Rumex obtusifolius</i> var. <i>obtusifolius</i>		N	14	1,2,3b (inc 3c),4a,4b,4c,7b (inc 7c),7d,8b,8c (inc 9a),9b,10a,10d,11a
Enchanter's-nightshade	<i>Circaea lutetiana</i>		N	14	6,7b (inc 7c),7d,8a,8b,8c (inc 9a),9b,10a,10b,10c,11a,11b,12a,12c
Garlic Mustard	<i>Alliaria petiolata</i>		N	14	1,2,4c,5,6,7a,7b (inc 7c),8b,8c (inc 9a),9b,10a,11a,12a,12c
Greater Plantain	<i>Plantago major</i>		N	13	3b (inc 3c),4a,4b,5,6,7a,7d,8c (inc 9a),9b,10a,10c,10d,12a
Hedge Mustard	<i>Sisymbrium officinale</i>		N	13	1,2,3a,3b (inc 3c),4a,4b,5,8b,8c (inc 9a),9b,11a,12b,12c
Herb-Robert	<i>Geranium robertianum</i>		N	13	1,2,4a,4b,5,6,7a,7b (inc 7c),7d,8b,8c (inc 9a),10d,11a
Silver Birch	<i>Betula pendula</i>	T	N	13	4b,4c,5,7a,8a,8b,8c (inc 9a),10c,11a,11b,12a,12b,12c
Black Horehound	<i>Ballota nigra</i>		N	12	1,2,3b (inc 3c),4a,5,6,7b (inc 7c),7d,11a,11b,12b,12c
Butterfly-bush	<i>Buddleja davidii</i>	S	Neo	12	1,2,4a,5,6,7a,7b (inc 7c),7d,8b,8c (inc 9a),9b,12b
Cherry Plum	<i>Prunus cerasifera</i>	T	Neo	12	2,3b (inc 3c),5,7a,8a,8c (inc 9a),10b,12a,12c,9b,11b,12b
Green Alkanet	<i>Pentaglottis sempervirens</i>		Neo	12	2,3a,5,6,7b (inc 7c),7d,8b,8c (inc 9a),9b,10a,12b,12c
Perennial Rye-grass	<i>Lolium perenne</i>		N	12	1,2,3a,3b (inc 3c),4a,4b,5,6,8c (inc 9a),10d,11a,12b
Male-fern	<i>Dryopteris filix-mas</i>	F	N	11	7a,7b (inc 7c),8a,8b,8c (inc 9a),10b,10c,10d,11a,12a,12b
Rose, Dog- (various hybrids)	<i>Rosa canina</i> agg.	S	N	11	1,2,3a,3b (inc 3c),4a,4b,4c,5,6,7a,8a
Rough Meadow-grass	<i>Poa trivialis</i>		N	11	1,2,3b (inc 3c),3d,7a,7b (inc 7c),7d,8c (inc 9a),10a,11b,12b
Sedge, Pendulous	<i>Carex pendula</i>		N	11	1,2,4a,7a,7d,8c (inc 9a),10a,10b,11a,12a,12c
Sow-thistle, Smooth	<i>Sonchus oleraceus</i>		N	11	1,2,3a,3b (inc 3c),4a,4b,7a,8c (inc 9a),11a,11b,12b
Bluebell, Hybrid	<i>Hyacinthoides x massartiana</i>		Neo	10	1,2,4a,5,6,7a,7b (inc 7c),8a,8c (inc 9a),12a
Dock, Wood	<i>Rumex sanguineus</i>		N	10	4b,4c,5,6,7b (inc 7c),8a,8c (inc 9a),10b,10d,11a
Mugwort	<i>Artemisia vulgaris</i>		N	10	1,2,3b (inc 3c),4a,4b,5,7d,8c (inc 9a),10a,12b
Willowherb, Great	<i>Epilobium hirsutum</i>		N	10	1,7b (inc 7c),7d,9b,10b,11a,11b,12a,12b,12c
Burdock, Lesser	<i>Arctium minus</i>	T	N	9	1,2,3a,4a,4b,4c,5,7b (inc 7c),12a
Holly, Highclere	<i>Ilex x altaclerensis</i>	T	Neo	9	2,5,7a,8a,8b,8c (inc 9a),9b,10c,12c

Maple, Field	<i>Acer campestre</i>	S	P	Neo	9	df,2,4a,4c,5,6,8c (inc 9a),10c,12a
Mock-orange, Hairy	<i>Philadelphus "Lemoinei Group"</i>			Neo	9	6,7b (inc 7c),7d,8a,10b,11a,11b,12a,12c
Red Currant	<i>Ribes rubrum</i>			I	9	2,4a,7a,8b,8c (inc 9a),10a,10b,10c,12c
Wall Barley	<i>Hordeum murinum</i>	T		N	9	1,2,3b (inc 3c),4a,4b,5,6,8c (inc 9a),12b
Willow, Goat	<i>Salix caprea</i>	T		N	9	3b (inc 3c),3d,7b (inc 7c),7d,8a,8c (inc 9a),10c,12b,12c
Yew	<i>Taxus baccata</i>			I	9	4a,5,6,7a,8a,8b,8c (inc 9a),10c,12c
Buttercup, Creeping	<i>Ranunculus repens</i>			N	8	1,4b,7b (inc 7c),7d,8a,8c (inc 9a),10a,10d
Common Chickweed	<i>Stellaria media</i>			N	8	1,4b,6,7a,8a,8b,8c (inc 9a),10a
Dead-nettle, White	<i>Lamium album</i>			Arc	8	3a,4a,4b,4c,6,7d,8c (inc 9a),12b
Fleabane, Guernsey	<i>Conyza sumatrensis</i>	S		Neo	8	1,2,7a,8b,8c (inc 9a),11a,12a,12b
Japanese Knotweed	<i>Fallopia japonica</i>			Neo	8	2,3a,4a,5,6,8a,10b,11b
Knotgrass	<i>Polygonum aviculare</i>	T		N	8	1,2,3b (inc 3c),7d,8c (inc 9a),11a,12a,12b
Lime	<i>Tilia x europaea</i>		P	N	8	2,7a,8a,8b,8c (inc 9a),10c,11b,12c
Thistle, Creeping	<i>Cirsium arvense</i>	G		N	8	1,2,3b (inc 3c),3d,7d,8c (inc 9a),10d,11a
Common Couch	<i>Elytrigia repens</i>			N	7	3d,4a,4c,7d,12a,12b,12c
Ivy-leaved Speedwell	<i>Veronica hederifolia</i> ssp. <i>lucorum</i>			Arc	7	1,2,3a,5,7b (inc 7c),8c (inc 9a),11a
Lesser Celandine	<i>Ficaria verna</i> subsp. <i>verna</i>	S		N	7	2,5,6,8c (inc 9a),11b,12a,12b
Raspberry	<i>Rubus idaeus</i>			N	7	5,7a,8a,10b,10c,10d,12a
Thistle, Spear	<i>Cirsium vulgare</i>	C		N	7	1,2,8c (inc 9a),10d,11a,11b,12b
Traveller's-joy	<i>Clematis vitalba</i>	T		N	7	1,2,4a,4b,5,11a,12a
Willow, Rusty	<i>Salix cinerea</i> subsp. <i>oleifolia</i>			N	7	1,3b (inc 3c),3d,7b (inc 7c),7d,8a,8b
Wood Forget-me-not	<i>Myosotis sylvatica</i>			I	7	1,4a,4b,8c (inc 9a),11a,11b,12a
Bittersweet	<i>Solanum dulcamara</i>	T		N	6	1,2,3d,6,8c (inc 9a),11a
Cherry Plum cultivar.	<i>Prunus cerasifera</i> var. <i>pissardii</i>			Neo	6	2,6,9b,10b,10c,12b
Iris, Stinking (yellow-flowered)	<i>Iris foetidissima</i> var. <i>citrina</i>			I	6	2,5,7a,7b (inc 7c),8c (inc 9a),12a
Willowherb, American	<i>Epilobium ciliatum</i>			Neo	6	7a,8c (inc 9a),10a,10c,11b,12b
Willowherb, Broad-leaved	<i>Epilobium montanum</i>			N	6	8a,8b,8c (inc 9a),11a,12a,12b
Willowherb, Rosebay	<i>Chamerion angustifolium</i>			N	6	3a,3b (inc 3c),4b,7b (inc 7c),10d,12a
Apple	<i>Malus pumila</i>	G		Arc	5	2,4a,6,10c,12b
Barren Brome	<i>Anisantha sterilis</i>	T		N	5	1,3b (inc 3c),4a,4b,12b
Bay	<i>Laurus nobilis</i>	S		Neo	5	2,3b (inc 3c),4a,6,8a
Firethorn	<i>Pyracantha coccinea</i>			Neo	5	2,5,6,9b,12b
Ground-elder	<i>Aegopodium podagraria</i>	C		Arc	5	3d,5,8a,8b,11a
Honeysuckle, Japanese	<i>Lonicera japonica</i>			Neo	5	2,4a,8c (inc 9a),12a,12b
Horsetail, Field	<i>Equisetum arvense</i>			N	5	3a,3b (inc 3c),4a,4b,10c
Mallow, Common	<i>Malva sylvestris</i>	T		N	5	5,6,7d,11b,12b
Maple, Norway	<i>Acer platanoides</i>			Neo	5	9b,10a,10c,11a,12a
Prickly Lettuce	<i>Lactuca serriola</i>			Arc	5	3a,3b (inc 3c),8c (inc 9a),11a,11b
Redshank	<i>Persicaria maculosa</i>	C		N	5	1,8c (inc 9a),10a,11b,12a
Russian-vine	<i>Fallopia baldschuanica</i>			Neo	5	6,8a,8b,11a,11b
Snowberry	<i>Symphoricarpos albus</i>	S		Neo	5	6,8b,8c (inc 9a),9b,10a
Spotted-laurel	<i>Aucuba japonica</i>			N	5	2,5,6,8a,10a
Yellow Corydalis	<i>Pseudofumaria lutea</i>			Neo	5	2,8c (inc 9a),11a,12b,12c
Bindweed, Field	<i>Convolvulus arvensis</i>			N	4	3a,3b (inc 3c),4a,4b
Black Medick	<i>Medicago lupulina</i>	T		N	4	3a,4c,11b,12b
Blackthorn	<i>Prunus spinosa</i>			N	4	1,3a,3b (inc 3c),12a
Clover, White	<i>Trifolium repens</i>			N	4	3a,4b,10d,12a
Clover, Zigzag	<i>Trifolium medium</i>			N	4	3a,3b (inc 3c),4a,4b
Comfrey, Russian	<i>Symphytum x uplandicum</i>			Neo	4	2,7b (inc 7c),7d,8c (inc 9a)
Daffodil, Cultivated (various)	<i>Narcissus</i> agg.			Neo	4	1,2,3d,8c (inc 9a)
Dock, Broadleaved (var. 1)	<i>Rumex obtusifolius</i> var. <i>microcarpus</i>	T		N	4	1,11b,12b,12c
Elm, English	<i>Ulmus procera</i>	T		N	4	6,7a,8a,12a
Elm, Wych	<i>Ulmus glabra</i>			N	4	8a,8b,10b,12c

Fleabane, Canadian	<i>Conyza canadensis</i>	S	Neo	4	7a,8b,11b,12a
Forsythia	<i>Forsythia x intermedia</i>	F	Neo	4	6,8a,8b,12c
Hart's-tongue	<i>Asplenium scolopendrium</i>		N	4	10c,10d,12a,12b
Hoary Mustard	<i>Hirschfeldia incana</i>	T	Neo	4	4a,4b,12a,12b
Hornbeam	<i>Carpinus betulus</i>		N	4	10c,11a,11b,12a
Ivy, Persian	<i>Hedera colchica</i>		Neo	4	5,7a,11a,12c
Michaelmas Daisy	<i>Aster x salignus</i>		Neo	4	1,2,3a,7d
Nipplewort	<i>Lapsana communis</i>	T	N	4	8c (inc 9a),11a,12b,12c
Oak, Sessile	<i>Quercus petraea</i>		N	4	2,7a,7b (inc 7c),10d
Ribwort Plantain	<i>Plantago lanceolata</i>		N	4	3a,3b (inc 3c),4b,5
Shepherd's-purse	<i>Capsella bursa-pastoris</i>		N	4	3a,4b,5,8b
Sow-thistle, Prickly	<i>Sonchus asper</i>		N	4	8a,8c (inc 9a),11b,12b
Spear-leaved Orache	<i>Atriplex prostrata</i>	S	N	4	8c (inc 9a),11b,12a,12b
Spindle, Evergreen	<i>Euonymus japonicus</i>		Neo	4	5,7a,8c (inc 9a),11a
Three-cornered Garlic	<i>Allium triquetrum</i>		Neo	4	2,4c,6,7b (inc 7c)
Wild Onion	<i>Allium vineale</i>	T	N	4	8c (inc 9a),11a,12a,12b
Alder	<i>Alnus glutinosa</i>		N	3	3b (inc 3c),3d,10c
Bindweed, Hybrid B	<i>Calystegia x lucana</i>		N	3	10c,10d,11b
Buttercup, Meadow	<i>Ranunculus acris</i>		N	3	7b (inc 7c),10c,10d
Colt's-foot	<i>Tussilago farfara</i>		N	3	3a,3b (inc 3c),7b (inc 7c)
Fat-hen	<i>Chenopodium album</i>	G	N	3	1,5,8b
Fescue, Giant	<i>Schedonorus giganteus</i>		N	3	10a,11a,12a
Gooseberry	<i>Ribes uva-crispa</i>		Neo	3	2,8a,8c (inc 9a)
Groundsel	<i>Senecio vulgaris</i>	C	N	3	3a,4b,8c (inc 9a)
Hop	<i>Humulus lupulus</i>		N	3	7a,8a,8b
Horsetail, Great	<i>Equisetum telmateia</i>		N	3	11a,11b,12a
Lords-and-Ladies, native	<i>Arum maculatum</i>		N	3	6,8c (inc 9a),12a
Meadow Vetchling	<i>Lathyrus pratensis</i>		N	3	3a,3b (inc 3c),11b
Ramsons	<i>Allium ursinum</i>		N	3	5,8a,8c (inc 9a)
Red Campion	<i>Silene dioica</i>	C	N	3	1,8a,11a
Rose, Field-	<i>Rosa arvensis</i>		N	3	10d,12a,12c
Rowan	<i>Sorbus aucuparia</i>	F	N	3	2,4a,10c
Soft Shield-fern	<i>Polystichum setiferum</i>		N	3	8b,10b,12a
Sowbread	<i>Cyclamen hederifolium</i>		Neo	3	8c (inc 9a),10b,12c
Wavy Bitter-cress	<i>Cardamine flexuosa</i>		N	3	1,8c (inc 9a),12a
Willowherb, Hoary	<i>Epilobium parviflorum</i>		N	3	10a,10d,11b
Yarrow	<i>Achillea millefolium</i>		N	3	3a,3b (inc 3c),5
Yorkshire-fog	<i>Holcus lanatus</i>		N	3	1,3b (inc 3c),10d
Annual Mercury	<i>Mercurialis annua</i>	T	Arc	2	2,4b
Balm	<i>Melissa officinalis</i>		Neo	2	3a,3b (inc 3c)
Beech	<i>Fagus sylvatica</i>	S	N	2	8c (inc 9a),10c
Bindweed, Hedge	<i>Calystegia sepium</i>	F	N	2	10d,11b
Box	<i>Buxus sempervirens</i>		I	2	4a,6
Bracken	<i>Pteridium aquilinum</i>		N	2	7a,10c
Broad-leaved Everlasting-pe:	<i>Lathyrus latifolius</i>		Neo	2	3a,3b (inc 3c)
Cat's-ear	<i>Hypochaeris radicata</i>		N	2	3a,3b (inc 3c)
Cinquefoil, Creeping	<i>Potentilla reptans</i>		N	2	3a,3b (inc 3c)
Crane's-bill, Druce's	<i>Geranium x oxonianum</i>	S	Neo	2	8c (inc 9a),10d
Dead-nettle, Red	<i>Lamium purpureum</i>	T	Arc	2	2,5
Dogwood	<i>Cornus sanguinea</i>	G	N	2	2,8b
False-acacia	<i>Robinia pseudoacacia</i>	G	P Neo	2	6,8b
False-brome	<i>Brachypodium sylvaticum</i>		N	2	2,6
Fescue, Red	<i>Festuca rubra</i>	T	N	2	3a,12b

Feverfew	Tanacetum parthenium			Neo	2	8c (inc 9a),11a
Fig	Ficus carica			Neo	2	2,10c
Goat's-beard	Tragopogon pratensis ssp. minor			N	2	3a,4a
Goosefoot, Many-seeded	Chenopodium polyspermum	S		Arc	2	8c (inc 9a),11b
Greater Celandine	Chelidonium majus			Arc	2	6,8c (inc 9a)
Guelder-rose	Viburnum opulus			N	2	1,6
Hawkweed, Glabrous-headed	Hieracium vagum			N	2	12a,12b
Hemlock	Conium maculatum			N	2	4b,12b
Honeysuckle, Wilson's	Lonicera nitida			Neo	2	4a,8a
Iris, Yellow	Iris pseudacorus			N	2	3d,10b
Ivy, Algerian	Hedera algeriensis	C		Neo	2	8c (inc 9a),10b
Ivy, Atlantic	Hedera 'Hibernica'	S		I	2	8c (inc 9a),12a
Jasmine, Summer	Jasminum officinale			Neo	2	2,9b
Laurustinus	Viburnum tinus	T		Neo	2	2,12a
Lawson's Cypress	Chamaecyparis lawsoniana		P	Neo	2	7a,9b
Lime, Large-leaved	Tilia platyphyllos	T	P	N	2	7a,7b (inc 7c)
Lucerne	Medicago sativa ssp. sativa	T		Neo	2	3a,3b (inc 3c)
Mallow, Tree-	Malva arborea			I	2	2,6
Oak hybrid	Quercus x rosacea			N	2	2,4a
Oxford Ragwort	Senecio squalidus	T		Neo	2	12a,12b
Petty Spurge	Euphorbia peplus	T		N	2	10b,11a
Poplar, Black-Italian	Populus x canadensis 'Serotina'		P	Neo	2	6,12c
Poplar, White	Populus alba			Neo	2	5,7a
Procumbent Pearlwort	Sagina procumbens	G		N	2	7a,8b
Scentless Mayweed	Tripleurospermum inodorum	T		Arc	2	11b,12a
Smooth Meadow-grass	Poa pratensis			N	2	4b,12b
Turkey Oak	Quercus cerris			Neo	2	5,8c (inc 9a)
Violet, Sweet	Viola odorata	T		I	2	5,8a
Water Bent	Polygonum viridis	T		Neo	2	8a,12b
Wild Plum	Prunus domestica			Arc	2	2,6
Willow, Bedford	Salix x fragilis 'russelliana'		P	Arc	2	6,7b (inc 7c)
Willowherb, Pale	Epilobium roseum			N	2	10a,12b
Winter Heliotrope	Petasites fragrans	T		Neo	2	2,4a
Alexanders	Smyrniolus olusatrum	G		Arc	1	2
Apple, Pillar	Malus tschonoskii	G	P	Neo	1	12c
Autumn Hawkbit	Scorzoneroides autumnalis			N	1	3a
Bent, Common	Agrostis capillaris			N	1	3a
Bent, Creeping	Agrostis stolonifera			N	1	12b
Bindweed, Hairy	Calystegia pulchra			Neo	1	3b (inc 3c)
Bindweed, Hybrid A	Calystegia x howittiorum	S		Neo	1	3b (inc 3c)
Bindweed, Large variety	Calystegia silvatica var. quinquepartita			Neo	1	1
Bleeding-heart	Dicentra formosa	S		Neo	1	1
Bramble, Chinese	Rubus tricolor			Neo	1	7b (inc 7c)
Burdock, Greater	Arctium lappa			N	1	7a
Butcher's-broom	Ruscus aculeatus	S		I	1	2
Butterfly Stonecrop	Sedum spectabile			Neo	1	8c (inc 9a)
Canadian Goldenrod	Solidago canadensis			Neo	1	3b (inc 3c)
Chinese Barberry	Berberis julianae			Neo	1	6
Cinquefoil, Sulphur	Potentilla recta			Neo	1	8c (inc 9a)
Clover, Red	Trifolium pratense			N	1	10d
Columbine	Aquilegia vulgaris			I	1	11a
Comfrey, White	Symphytum orientale			Neo	1	8c (inc 9a)
Common Knapweed	Centaurea nigra			N	1	3b (inc 3c)

Common Valerian	Valeriana officinalis subsp. sambucifolia	S		N	1	11b
Common Whitebeam	Sorbus aria	S		N	1	5
Coralroot	Cardamine bulbifera f.ptarmicifolia	S		I	1	7a
Cotoneaster sp. A	Cotoneaster sp. A	S		Neo	1	9b
Cotoneaster sp. B	Cotoneaster sp. B	S		Neo	1	12b
Cotoneaster sp. C	Cotoneaster sp. C	T		Neo	1	12a
Cotoneaster sp. D	Cotoneaster sp. D			Neo	1	7a
Cotoneaster, Bullate	Cotoneaster rehderi			Neo	1	8a
Cotoneaster, Waterer's	Cotoneaster x watereri			Neo	1	8b
Crane's-bill, Dusky	Geranium phaeum			Neo	1	6
Crane's-bill, Hedgerow	Geranium pyrenaicum			N	1	12b
Crane's-bill, Meadow	Geranium pratense			I	1	3b (inc 3c)
Crane's-bill, Shining	Geranium lucidum			N	1	10c
Daffodil, "St Keverne" Div. T	Narcissus 'St. Keverne'		P	Neo	1	12a
Dock, Greek	Rumex cristatus	T		Neo	1	12b
Dog's Mercury	Mercurialis perennis			N	1	7a
False Holly	Osmanthus heterophyllus		P	Neo	1	7a
Filbert, Purple	Corylus maxima "Purpurea"			Neo	1	8a
Garden Solomon's-seal	Polygonatum x hybridum			Neo	1	4a
Garden Yellow-archangel	Lamiastrum galeobdolon ssp. argentatum	S		Neo	1	2
Golden Crocus	Crocus chrysanthus	G		Neo	1	12b
Goosefoot, Fig-leaved	Chenopodium ficifolium			Arc	1	11b
Gorse	Ulex europaeus	S		N	1	12b
Greater Quaking-grass	Briza maxima			Neo	1	11a
Ground-ivy	Glechoma hederacea	T		N	1	7b (inc 7c)
Hairy Cockspurthorn	Crataegus submollis			Neo	1	12c
Hawkweed Oxtongue	Picris hieracioides			N	1	10d
Hawthorn, Hybrid	Crataegus x media			N	1	11a
Hedge Bedstraw	Galium album	S		N	1	1
Hedge Woundwort	Stachys sylvatica	C		N	1	4c
Himalayan Honeysuckle	Leycesteria formosa			Neo	1	11a
Honeysuckle, Native	Lonicera periclymenum			N	1	8b
Horse-radish	Armoracia rusticana			Arc	1	7a
Ivy, Algerian (variegated cult	Hedera algeriensis "Gloire de Marengo"	T		Neo	1	11a
Ivy-leaved Toadflax	Cymbalaria muralis			Neo	1	12b
Jacquemont's Birch	Betula utilis var. jacquemontii	T	P	Neo	1	9b
Laburnum	Laburnum anagyroides		P	Neo	1	12b
Lilac	Syringa vulgaris	T		Neo	1	7a
Loquat	Eriobotrya japonica			Neo	1	2
Lords-and-Ladies, Italian	Arum italicum subsp. Italicum			Neo	1	6
Lungwort	Pulmonaria officinalis	G		Neo	1	6
Meadow Foxtail	Alopecurus pratensis	S		N	1	3a
Mock-orange	Philadelphus coronarius		P	Neo	1	12c
Montbretia	Crococsmia x crocosmiiflora			Neo	1	2
Oregon-grape	Mahonia aquifolium	T		Neo	1	7a
Pear	Pyrus communis		P	Arc	1	8a
Pellitory-of-the-Wall	Parietaria judaica			N	1	11a
Periwinkle, Greater	Vinca major			Neo	1	4c
Periwinkle, Lesser	Vinca minor	T		Arc	1	4c
Poplar, Hybrid Balsam "Auro	Populus x jackii "Aurora"		P	Neo	1	12a
Primrose	Primula vulgaris	T		N	1	8a
Privet, Tree	Ligustrum lucidum	T	P	Neo	1	7a
Rhododendron	Rhododendron sp.	S		Neo	1	2

Rose (unknown hybrid)	Rosa sp.	S		N	1	12b
Rose, Burnet	Rosa spinosissima	S	P	N	1	1
Rose, Dog- (Pubescentes grc)	Rosa canina group Pubescentes	S		N	1	4b
Rose, Dog (named hybrid)	Rosa x nitidula	S		N	1	12b
Rose, Many-flowered	Rosa multiflora		P	Neo	1	8b
Sedge, Wood-	Carex sylvatica			N	1	8c (inc 9a)
Siberian Squill	Scilla siberica			Neo	1	12b
Smooth Tare	Vicia tetrasperma			N	1	3a
Snowberry, Pink	Symphoricarpos x chenaultii			Neo	1	5
Sorrel, Common	Rumex acetosa			N	1	3a
Sorrel, Sheep's	Rumex acetosella	S		N	1	3b (inc 3c)
Spindle	Euonymus europaeus			I	1	2
Stag's-horn Sumach	Rhus typhina			Neo	1	2
Strawberry, Garden	Fragaria ananassa			Neo	1	1
Strawberry, Wild	Fragaria vesca	G		N	1	12b
Timothy	Phleum pratense			N	1	10d
Toadflax, Purple	Linaria purpurea			Neo	1	11a
Trailing Bellflower	Campanula poscharskyana	T		Neo	1	1
Tree-of-heaven	Ailanthus altissima	S		Neo	1	11a
Tutsan	Hypericum androsaemum			N	1	11a
Vetch, Bush	Vicia sepium			N	1	4c
Vetch, Tufted	Vicia cracca			N	1	3b (inc 3c)
Viburnum hybrid	Viburnum x bodnantense		P	Neo	1	4c
Violet, Early Dog-	Viola reichenbachiana	C		N	1	2
Virginia-creeper	Parthenocissus quinquefolia	C		Neo	1	12b
Virginia-creeper sp.	Parthenocissus sp.			Neo	1	2
Wall Lettuce	Mycelis muralis	T		N	1	11a
Walnut	Juglans regia			Arc	1	6
Willowherb, Hybrid	Epilobium x interjectum			N	1	11a
Willowherb, Short-fruited	Epilobium obscurum			1	11a	